the average residence time in each autoclave was 2 hours. The first and second autoclaves were maintained at a temperature of 55° C. and 80° C., respectively. After completion of the reaction, 0.034 g of methanol, per long of the styrene/1,3-butadiene mixture, as a terminator was added to give a polymer solution. By the same procedures as described in Production Example 1, a small amount of conjugated diene rubber (rubber 3) was obtained. Molecular weight and other properties of rubber 3 are shown in Table 1.

An autoclave equipped with a stirrer was charged with 4,000 g of cyclohexane, 150 g of styrene, 450 g of 1,3-butadiene and 10 milli-mole of tetramethylethylenediamine, followed by addition of 6.3 milli-mole of n-butyllithium to initiate polymerization at 50° C. When 10 minutes elapsed from the commencement of polymerization, a mixture of 50 g of styrene and 350 g of 1,3-butadiene was continuously added. After it was checked that the conversion reached 100%, 1.1 milli-mole of tetramethoxysilane was added and a reaction was conducted for 30 minutes. The highest temperature of a polymerization mixture was 80° C. After completion of the reaction, 10 milli-mole of methanol as a terminator was added to give a polymer solution. A small amount of rubber 5 was obtained from the thus-produced polymer solution. Molecular weight and other properties of rubber 5 are shown in Table 1.

DETD An autoclave equipped with a stirrer was charged with 4,000 g of cyclohexane, 150 g of styrene, 720 g of 1,3-butadiene and 2.6 milli-mole of tetramethylethylenediamine, followed by addition of 7.6 milli-mole of n-butyllithium to initiate polymerization at 40° C. When 40 minutes elapsed from the commencement of polymerization, 130 g of 1,3-butadiene was continuously added. After it was checked that the conversion reached 100%, 5.3 milli-mole of tin tetrachloride was added and a reaction was conducted for 5 minutes. Further, 4.8 milli-mole of N,N'-diemthylethylene urea was added and a reaction was conducted for 20 minutes. After completion of the reaction, 20 milli-mole of methanol as a terminator was added to give a polymer solution. A small amount of rubber 6 was obtained from the thus-produced polymer solution. Molecular weight and other properties of rubber 6 are shown in Table 1.

=> FIL STNGUIDE COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 91.70 92.12 DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION CA SUBSCRIBER PRICE -2.34 -2.34

FILE 'STNGUIDE' ENTERED AT 16:14:47 ON 26 DEC 2007 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Dec 21, 2007 (20071221/UP).

=> d his full

(FILE 'HOME' ENTERED AT 16:04:06 ON 26 DEC 2007) SET ABBR ON PERM SET PLURALS ON PERM

FILE 'USPATFULL, USPATOLD, USPAT2, CAPLUS, JAPIO' ENTERED AT 16:05:15 ON 26 DEC 2007
2070 SEA ABB=ON PLU=ON (ELASTOMER? OR POLYDIEN? OR RUBBER?)(S)((CY

L2

L3

CLIC OR CYCLIZ? OR CYCLIS?) (6A) (VINYL OR DIEN? OR BUTADIEN?))

413 SEA ABB=ON PLU=ON (ELASTOMER? OR POLYDIEN? OR RUBBER?)(S)(TET RAMETHYLETHYLENEDIAMINE OR TMEDA)

18 SEA ABB=ON PLU=ON L1 AND L2

D L3 1-18 IBIB ABS

D L3 15 IBIB HIT

D L3 11 IBIB HIT

D L3 3 IBIB HIT

FILE 'STNGUIDE' ENTERED AT 16:14:47 ON 26 DEC 2007

FILE HOME

FILE USPATFULL

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 25 Dec 2007 (20071225/PD)

FILE LAST UPDATED: 25 Dec 2007 (20071225/ED)

HIGHEST GRANTED PATENT NUMBER: US7313828

HIGHEST APPLICATION PUBLICATION NUMBER: US2007294796

CA INDEXING IS CURRENT THROUGH 25 Dec 2007 (20071225/UPCA)

ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 25 Dec 2007 (20071225/PD)

REVISED CLASS FIELDS (/NCL) LAST RELOADED: Oct 2007

USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Oct 2007

FILE USPATOLD

FILE COVERS U.S. PATENTS 1790-1975 Produced using data provided by Univentio.

This database was created using Optical Character Recognition (OCR) technology. For this reason, some characters may be missing or mistranslated. In order to improve searchability and retrieval, CA indexing information has been added to the Title, Inventor, and Patent Assignee fields where possible. Please see HELP CASDATA for more information on the availability of CAS indexing in this database.

FILE USPAT2

FILE COVERS 2001 TO PUBLICATION DATE: 25 Dec 2007 (20071225/PD)
FILE LAST UPDATED: 25 Dec 2007 (20071225/ED)
HIGHEST GRANTED PATENT NUMBER: US2007238736
HIGHEST APPLICATION PUBLICATION NUMBER: US2007294795
CA INDEXING IS CURRENT THROUGH 25 Dec 2007 (20071225/UPCA)
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 25 Dec 2007 (20071225/PD)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Oct 2007
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Oct 2007

FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 26 Dec 2007 VOL 147 ISS 26 FILE LAST UPDATED: 25 Dec 2007 (20071225/ED) Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

FILE JAPIO

FILE LAST UPDATED: 29 OCT 2007 <20071029/UP>

FILE COVERS APRIL 1973 TO JULY 26, 2007

>>> GRAPHIC IMAGES AVAILABLE <<<

FILE STNGUIDE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Dec 21, 2007 (20071221/UP).

=> log y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
FULL ESTIMATED COST	ENTRY 0.48	SESSION 92.60
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
CA SUBSCRIBER PRICE	ENTRY 0.00	SESSION -2.34

STN INTERNATIONAL LOGOFF AT 16:19:43 ON 26 DEC 2007